

Classic Barriers

Protocol Barriers
Retractable Belt Barriers
Wall-Mounted Barriers



Innovative Barriers

Magnetic Barriers
Cone Topper Barriers
XL Wall-Mounted Barriers



inobarrier[®]

Innovative Security Equipments
2026 Product Catalog

Classics

Protocol Barriers	4-7
Protocol Barrier Accessoires	8-9
Retractable Belt Barriers	10-11
Retractable Belt Barrier Accessoires	12-13
Wall-Mounted Retr. Belt Barriers	14-15
Barrier Transport Trolleys	16-17

Innovatives

Magnetic Retr. Belt Barriers	18-19
Cone Topper Retr. Belt Barriers	20-21
XL Wall-Mounted Retr. Belt Barriers	22-23
Fixed-Profile Barriers	24-25

PROTOCOL BARRIER

PRIVATE
VIEW

- BY INVITATION ONLY

You can opt for the protocol barrier in areas requiring special presentations, official receptions, and VIP segregation.



Chrome Protocol Barrier

InoBarrier® RBCH1M

Stainless Steel

Ø320xh1.000mm

Standards

Body SS201 Glossy Chrome Ø50xh950mm WT: 1,00mm

Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm

Options

Body SS304 · Base SS304 · Base Ø350xh50mm



Gold Protocol Barrier

InoBarrier® RBGH1M

Stainless Steel

Ø320xh1.000mm

Standards

Body SS201 Glossy Gold PVD Coating Ø50xh950mm

Base SS201 Glossy Gold PVD Coating Ø320xh50mm

Options

Body&Base Matte/Rose Gold PVD Coating · Base Ø350xh50mm



Black Protocol Barrier

InoBarrier® RBBH1M

Hot Rolled Steel

Ø320xh1.000mm

Standards

Body HRS Glossy Black EP Coating Ø50xh950mm

Base HRS Glossy Black EP Coating Ø320xh50mm

Options

Body&Base HRS EP Coating Matte Black / Any RAL-Color · Base Ø350xh50mm

Key Features of the InoBarrier® Protocol Barrier



Premium Materials & Components

Unless otherwise specified, the highest quality stainless steel in its class is always selected—including for the components. This ensures longevity and quality, even in open, semi-open, and enclosed environments.



Top-Tier Craftsmanship & Quality Control

Technical operations are performed by calibrated machines, while final product processes like polishing are completed by skilled craftsmen. At every stage, the products are checked for compliance with our standards.



Compliance, Longevity & Sustainability

One of our key criteria is to maintain a consistent standard, even with customizations. Even though the product is long-lasting, should you wish to replace it, you can still find the same product and its spare parts.



Details, Improvements & Red Lines

We design our products using safe materials, ensuring environmental compliance and a user-friendly experience. Nevertheless, we pay close attention to every detail, optimizing areas for improvement and rectifying any errors.



Comprehensive Customization Solutions

We understand the specific needs of your business and can develop tailored solutions through our flexible production model. We can also provide custom project designs and visual scenarios suited to the intended application area.




Enhanced Warranty & Ideal Pricing

All our products come with a 24-month warranty when used in accordance with the usage and maintenance instructions. Additionally, we offer a price difference guarantee should you find a comparable product at a lower price.



You can find various InoBarrier® products
at **Istanbul Airport** and in global stores
within the airport and also at:







Chrome Protocol Barrier Cordon

InoBarrier® BCCH1M

Chrome Coating

Ø30xh1.500mm

Standards

Cord Lux Velvet Ø30xh1.500mm Polyethylene Foam Inner Filling
Hook Glossy Chrome Coating Ø30xh100mm WT: 1,00mm

Options

Cord Black/Red/Navy/Green/Purple/Blue/Orange/Turquoise/Grey



Gold Protocol Barrier Cordon

InoBarrier® BCGH1M

Gold PVD Coating

Ø30xh1.500mm

Standards

Cord Lux Velvet Ø30xh1.500mm Polyethylene Foam Inner Filling
Hook Glossy Gold PVD Coating Ø30xh100mm WT: 1,00mm

Options

Cord Black/Red/Navy/Green/Purple/Blue/Orange/Turquoise/Grey



Chrome Protocol Barrier Rope

InoBarrier® BRCH3M

Chrome Coating

Ø28xh1.500mm

Standards

Rope 3-Strand Lux Silk Ø28xh1.500mm
Hook Glossy Chrome Coating Ø30xh100mm WT: 1,00mm

Options

Rope 3-Strand Black/Red/Navy/Blue/Yellow/White
Rope 8-Strand Black/Red/Navy/Blue/Yellow/White



Gold Protocol Barrier Rope

InoBarrier® BRGH3M

Gold PVD Coating

Ø28xh1.500mm

Standards

Rope 3-Strand Lux Silk Ø28xh1.500mm
Hook Glossy Gold PVD Coating Ø30xh100mm WT: 1,00mm

Options

Rope 3-Strand Black/Red/Navy/Blue/Yellow/White
Rope 8-Strand Black/Red/Navy/Blue/Yellow/White

RETRACTABLE BELT BARRIER

You can opt for a retractable belt barrier in areas where traffic flow requires monitoring, management, restriction, or limitation.





Black Retractable Belt Barrier

InoBarrier® BBBA3M

Hot Rolled Steel

Ø320xh900mm

Standards

Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Black Dual Retr. Belt Barrier

InoBarrier® BBBA3M

Hot Rolled Steel

Ø320xh900mm

Standards

Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Chrome Retractable Belt Barrier

InoBarrier® BBKA3M

Stainless Steel

Ø320xh900mm

Standards

Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Chrome Dual Retr. Belt Barrier

InoBarrier® BBKA3M

Stainless Steel

Ø320xh900mm

Standards

Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm / 50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W · Base Ø350xh50mm



Stackable Chrome Ret. Belt Bar.

InoBarrier® BBCS3M

Stainless Steel

Ø357xh867mm

Standards

Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm
Base SS201 Glossy Chrome Casting Heavy Ø357xh17mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White



Yellow Retractable Belt Barrier

InoBarrier® BBYA3M

Hot Rolled Steel

Ø320xh900mm

Standards

Body HRS Glossy Yellow EP Coating Ø63xh850mm WT: 1,00mm
Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm · Belt Black/Yellow/Black&Yellow/Red&White · Base Ø350xh50mm



Black Retractable Belt Barrier

InoBarrier® RBCH1M

Hot Rolled Steel

Ø320xh900mm

Standards

Body HRS Glossy Black EP Coating Ø100xh850mm WT: 1,00mm
Base Hexagonal Rubber Ø440xh50mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt Belt Black/Yellow/Black&Yellow/Red&White · Base Ø350xh50mm





R.B. Barrier Information Sign A4

InoBarrier® BSBA4F

ABS + Plexiglass

Ø300xh460mm

Standards

Hinged adjustment screws

Suitable for landscape and portrait use (A4 size)

Easy-to-use snap-in/snap-out system

Compatible with four-way mounting configurations



R.B. Barrier Information Sign A5

InoBarrier® BSBA5F

ABS + Plexiglass

Ø200xh460mm

Standards

Hinged adjustment screws

Suitable for landscape use (A5 size)

Easy-to-use snap-in/snap-out system

Compatible with four-way mounting configurations



R.B. Barrier Mid-Banner

InoBarrier® BSBAMB

SS/AL + Tarpaulin

w500xh1.000mm

Standards

Replaceable Banner & Compatible with four-way mounting configurations

Options

Options for solid fabric and perforated mesh · White/Black/Red/Yellow/Navy

Available with multi-color and double-sided printing options



BSBAMB



BSCAMB



R.B. Barrier Full-Banner

InoBarrier® BSBAFB

SS/AL + Tarpaulin

w800xh1.600mm

Standards

Replaceable Banner & Compatible with four-way mounting configurations


Options

Options for solid fabric and perforated mesh · White/Black/Red/Yellow/Navy

Available with multi-color and double-sided printing options



BSCAFB



BSBAFB

FULLY COMPATIBLE, FULLY CUSTOMIZABLE

Our retractable belt barriers feature belt lengths ranging from 2 to 10 meters and are fully customizable.

Furthermore, accessories are designed so as not to interfere with operational functionality, allowing you to use all our belt barrier products in perfect harmony with one another.



WALL-MOUNTED RETR. BELT BARRIER

You might prefer wall-mounted retractable belt barriers for situations requiring the monitoring, restriction, or limitation of access to corridors, storage areas, and service entrances.





Wall-Mounted Chrome Retr. Belt Barrier

InoBarrier® WBCA3M

Stainless Steel

Ø63xh120mm

Standards

Body SS201 Glossy Chrome Ø63xh120mm WT: 1,00mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware

Options

Belt 50x2.000mm/50x5.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



Wall-Mounted Black Retr. Belt Barrier

InoBarrier® WBPA3M

ABS

w92xh145mm

Standards

Body ABS Black-Black / Red-Black / Yellow Black w92xh145mm
Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware

Options

Belt 50x2.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White



Wall-Mounted Chrome Retr. Belt Barrier

InoBarrier® WBPA5M

ABS

w92xh145mm

Standards

Body ABS Black-Black / Red-Black / Yellow Black w92xh145mm
Belt 50x5.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x4.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White



Wall-Mounted Chrome Retr. Belt Barrier

InoBarrier® WBPA1M

ABS

w110xh168mm

Standards

Body ABS Black-Black / Red-Black / Yellow Black w110xh168mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock
Includes wall mount and mounting hardware


Options

Belt 50x8.000mm · Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



BARRIER TRANSPORT TROLLEY

Unlike other service vehicles, the barrier transport trolley is designed for the safe storage and transport of barriers. Its size and functionality can be customized.





Barrier Transport Trolley

InoBarrier® BTMW18 **Black EP Coating** w800x1800xh1650mm

Standards

Max.capacity of 18 barriers with a base shelf for accessories

Equipped with base contact protection

Maximum load capacity of 120 kg

Options


Wheels 4x360-degree · Wheels 4x4 locking mechanism



MAGNETIC RETR. BELT BARRIER

For your warehouses, markets, and storage facilities, you can opt for a highly mobile magnetic retractable barrier that attaches to magnetic metal surfaces.





Magnetic Retr. Belt Barrier

InoBarrier® MBPA5M

ABS + Magnet

w92x196xh145mm

Standards

Body ABS Black-Black / Red-Black / Yellow Black w92x196xh145mm
Belt 50x5.000mm Anti-Carcinogenic Thread w/ 6 magnets

Options

Belt 50x3.000mm

Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



Magnetic Retr. Belt Barrier

InoBarrier® MBPA1M

ABS + Magnet

w110x115xh168mm

Standards

Body ABS Black-Black / Red-Black / Yellow Black w110x115xh168mm
Belt 50x10.000mm Anti-Carcinogenic Thread w/ 7 magnets

Options

Belt 50x8.000mm

Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



100% Mobile, 101% Effective

The magnetic retractable belt barrier —*one of the most important products we have developed for occupational safety and the protection of life and property*— meets a critical industry need, serving everything from the world's largest bonded warehouses to the largest oil tankers.

TOP CONNER RETR. BELT BARRIER

A truly mobile piece of equipment for your warehouses, storage and loading facilities, and parking lots that you can place on top of traffic cones.





Cone Topper R.B. Barrier

InoBarrier® TBPA3M

ABS

Ø90xh230mm

Standards

Body ABS Red Ø90xh230mm

Belt 50x3.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt 50x2.000mm

Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



Cone Topper R.B. Barrier

InoBarrier® TBPA1M

ABS

Ø150xh280mm

Standards

Body ABS Red Ø150xh280mm

Belt 50x10.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options


Belt 50x5.000mm / 50x6.000mm / 50x7.000mm / 50x8.000mm

Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/B&Y/R&W



New Standards

A fully mobile product designed to modernize your standards in workplace safety, storage, and traffic guidance. You can either secure it to a traffic cone or place it on top of one whenever the need arises.



XL WALL-MOUNTED RETR. BELT BARRIER

Admittedly, we've gone on a bit long. But that's because there was a genuine need for equipment capable of handling truly long-duration, continuous operations at air and sea ports, marinas, and truck parking and loading areas. You, too, can own this unique solution.



UP TO 23 METERS

0% JOKE, 100% REAL



XL Wall-Mounted Retr. Belt Barrier

InoBarrier® WBPA9M

Hot Rolled Steel

w135xl203xh241mm

Standards

Body Hot Rolled Steel Black EP Coating w135xl203xwmm

Belt 50x23.000mm Anti-Carcinogenic Thread w/ Pull Type Lock

Options

Belt Black/Red/Navy/Green/Blue/Orange/Yellow/Turquoise/White/Black&Yellow/Red&White

FIXED PROFILE BARRIER

In large, high-traffic areas such as airports, materials with high durability and exceptional longevity are often the preferred choice. You might consider fully customizable fixed-profile barriers to meet this requirement.



Fixed-profile barriers are equipment that can be fully customized in terms of dimensions, color, printing, and other features.



***Multicolor Textured
Printing Option Available***



Chrome Fixed-Profile Barrier

InoBarrier® BPCA1M

Stainless Steel

w30x150xh1.500mm

Standards

Body SS201 Glossy Chrome Ø63xh850mm WT: 1,00mm

Base SS201 Glossy Chrome Ø320xh50mm WT: 1,00mm

Profile Aluminum Blue EP Coating w30x150xh1.500mm

Options

Base SS304 Glossy Chrome Ø320xh50mm WT: 1,00mm

Base SS201 Glossy Chrome Ø350xh50mm WT: 1,00mm

Profile Aluminum EP Coating w30x150xh1.000mm / w30x150xh2.000mm

Profile Any Glossy RAL Code Color · Multicolor Textured Printing



Black Fixed-Profile Barrier

InoBarrier® BPBA1M

Hot Rolled Steel

w30x150xh1.500mm

Standards

Body HRS Glossy Black EP Coating Ø63xh850mm WT: 1,00mm

Base HRS Glossy Black EP Coating Ø320xh50mm WT: 1,00mm

Profile Aluminum Black EP Coating w30x150xh150mm

Options

Body Any Glossy/Matte RAL Code Color

Base Any Glossy/Matte RAL Code Color

Base HRS Glossy Chrome Ø350xh50mm WT: 1,00mm

Profile Aluminum EP Coating w30x150xh1.000mm / w30x150xh2.000mm

Profile Any Glossy/Matte RAL Code Color · Multicolor Textured Printing

Innovative Security Equipments

2026 Product Catalog

The content and images in the catalog are for informational purposes.
Inobarrier® reserves the right to modify the content.
©Copyrights 2026, KIRCA. All rights reserved.

Inobarrier® is a registered brand of Kirca Technology Industry and Foreign Trade Limited Company
Registration N°: 1061066 · CRS N°: 0557137663400001 · Tax N°: 5571376634

inobarrier®

www.inobarrier.com · info@inobarrier.com · +90 850 308 09 28

INOBARRIER® IS A BRAND OF KIRCA TECHNOLOGY BASED IN ISTANBUL TURKEY.
OUR PROUDTS ARE MANUFACTURED IN ACCORDANCE WITH INTERNATIONAL STANDARDS.
CONTACT US FOR GLOBAL PROJECTS, DEMANDS & ORDERS.